

THE
Scientific American.

MUNN & COMPANY, Editors & Proprietors.

PUBLISHED WEEKLY AT

NO. 37 PARK ROW (PARK BUILDING), NEW YORK.

O. D. MUNN, S. H. WALES, A. E. BEACH.

Messrs. Trubner & Co., 60 Paternoster Row, London, are also Agents for the SCIENTIFIC AMERICAN.

Messrs. Sampson Low, Son & Co., Booksellers, 47 Ludgate Hill, London, England, are the Agents to receive European subscriptions for advertisements for the SCIENTIFIC AMERICAN. Orders sent on them will be promptly attended to.

"The American News Company," Agents, 121 Nassau street, New York.

American and Mexican News Company, Mexico, are Agents of the SCIENTIFIC AMERICAN.

OL. XIV., No. 20. [NEW SERIES.] *Twenty-first Year.*

NEW YORK, SATURDAY, MAY 12, 1866.

Contents:

(Illustrations are indicated by an asterisk.)

*Lowe's Steam Gage.....	315	Examiners to another set.....	320
Power required to Start a Train.....	315	Bill Concerning Patenteses.....	321
Treatment of Cholera.....	316	New Inventions.....	321
Death of Mr. C. Wy Williams.....	316	New Publications.....	321
Curious Properties of Magnesium Amalgam.....	317	Critchley's Expanding Mandrels.....	322
Inefficient Pumps.....	317	Increase Tax upon Inventors.....	322
Razors.....	317	Brown's Self-Closing Governor.....	322
Petroleum as Steam Fuel.....	317	Experiments with Nitroglycerin.....	322
Increase of Examiners' Pay.....	317	St. Elmo's Fire.....	322
*Ericson's Caloric Engine.....	318	Whistles as Signals on Trains.....	323
*Elevated Railway for Streets.....	318	The Right Kind of a Grocery.....	323
*Fry's Buckle.....	318	Sodium Amalgam.....	323
*Bidwell's Bow Iron.....	319	Collapse of an English Boiler.....	324
Photography on Silk.....	319	Flue.....	324
White Enamelled Plates for Photographs.....	319	An Unpalatable Truth.....	324
Stomatoscope.....	319	novel Application of Turpentine as a Fuel.....	324
*Andrews & Burman's Carpet Fastener.....	319	Copper Photographs.....	324
*Perpetual Motion.....	319	Pumping Staps by Force of Wind.....	324
*Sawing Lumber.....	319	The Third Lecture of Prof. Doremus's Course.....	325
Cure for Cholera.....	320	American Riflemen's League.....	325
Visibility of Steam.....	320	Safety Apparatus for Steam Boilers.....	325
Board Measure.....	320	Notes and Queries.....	326
Hardening Dies.....	320	Patent Claims 326, 327, 328, 329.....	326
Tax on Inventors.....	320	Patent 330.....	331
Hot and Cold Solutions.....	320	*Woodruff's Valve Gear.....	334
The Metrical System—A Farmer's Experience.....	320	Water Fuel.....	334
A Bill to Fine Inventors for Appealing from one set of			

WHISTLES AS SIGNALS ON TRAINS.

One of the most extraordinary things to an American is the mystery and difficulty they make in England about communicating between the engineer and passengers on a railway train. In this country, as our readers well know, the cars are one large apartment on wheels, but in England they are different, being like several stage coaches coupled together, each car consisting of three or more compartments. This affords special facilities to murderers and other agreeable persons who are not slow to take advantage of them, as criminal records show. All sorts of ingenious and impracticable schemes have been devised to communicate between the engineer and conductor or "guard," as he is called, but the simplest and most effective has not been tried, or if tried, meets with little favor. That is, the plan in vogue here, consisting of a bell and a cord which runs the whole length of the train and to be found on every railroad in our land.

It must not be supposed that this plan is not tried because it is unknown, but it is left untried for some reasons not stated. Whether the murderers would ring the bell "for fun," or whether the murderers, if left alone, would steal the rope, does not appear; it is sufficient to know that British ingenuity has not as yet solved the problem of communicating between the engineer of a train and the passengers on it.

The latest proposition is that the engineer should be signalled by sound. To make the sound the inventor uses compressed air and a whistle. He compresses the air with a pair of bellows and he places the whistle in front of "a reflector" (which is probably a deflector) to throw the sound forward; the whistle machinery being in the guard's "van." This van, a curious misnomer, is in the rear, being 300 feet from the engineer.

At a recent experiment with this machine (the speed of the train was about thirty miles an hour) the engineer heard the sound with difficulty on the foot board of the engine, although the whistles em-

ployed were four inches in diameter and were heard distinctly two miles in the rear.

Of course they were; that was the place to hear them. The *Engineer* says: "On the foot plate we heard the whistle very distinctly while the speed did not exceed 25 miles per hour, but in the open country at higher speed it became indistinct, though never totally lost. In cuttings it was at all times heard plainly, but the position of the hearer exerted considerable influence; thus when standing under the lee of the fire-box, which was large and high, it could be plainly heard, while it was inaudible to the engineer looking out." We are also further told that this apparatus is simple and not liable to get out of order and it may yet take the place of the ordinary signal cord. That is in England.

THE RIGHT KIND OF A GROCERY.

The old proverb says, "one cannot eat their cake and have it," but there seems to be a doubt whether this is literally true. That it is only partially so is daily proved at a certain store in this city. Some good and thoughtful men of the Novelty Iron Works, deeming the principle of a mutual benefit society good as applied to a grocery store, have opened one at the corner of Twelfth street and Dry Dock street, where they sell provisions to men employed at the Novelty Works only.

Last Tuesday we went into this store, and it was pleasant to see the neatness and order which prevailed. Everything was clean and wholesome, and the stock was palpably of the best quality. This scheme is very different from such affairs in general. Usually individuals are called upon to take stock in such enterprises to the extent they may deem an advantage. The concern is then embarked in business, with as much risk and interference from competition as any other, while the chances of its decline and fall are greater, for each individual stockholder thinks he of all others is the man to lead it up to profit and renown, when in all probability he is specially unfit. The consequences are disgust on the part of others, and a total collapse in a few months. The failure of co-operation is then pointed out by its opponents, and every one who entertains the idea subsequently is confronted with this precedent.

The Novelty Iron Works grocery store is quite another thing. No one takes any stock in it, at least not the parties chiefly interested. The object, says the circular before us, is to buy at wholesale, articles of food needed in families, and to sell only to men employed at the Novelty Iron Works, in small quantities at retail prices.

The difference between the cost (including expenses) of articles sold, and amount received from sales will be the saving or profit. This saving or profit will be entirely the property of the purchasers, and once in three months will be divided in cash among the purchasers in proportion to the amount of purchases by each man.

Each man wishing to make his purchases in this way will write his name and number on an envelope, which can be had of the gate keeper on Avenue D.

The amount of money he wishes to trade out must be put in the envelope in even dollars.

These envelopes with the money in, are to be put in a box to be found at each gate at Avenue D.

A pass book will then be sent to each man with his amount entered in his book. This book will then be good at this store until the money is used up. The pass book will have printed directions on the inside cover.

Care will be taken that all weights and measures are correct.

It will be seen from this that if the business is properly conducted by the managers, they will succeed, and that in any event the workman loses nothing, for he gets the market value of his dollar at the time of purchase. Thus it is that the cake is eaten and part of it saved, for if a man buys a loaf of bread only, at the end of three months he gets his *pro rata* profit on it, and we all know that half a loaf is better than no bread. Further, the more money a man lays out at this grocery, the larger his dividend will be; therefore the largest eaters make the most money.

If this logic is defective it is the fault of the benevo-

lent founders of this scheme, for it follows from the facts.

It is needless for us to say that it has our hearty good wishes; therefore we won't say so, but it is very clear that the cost of living can in this way be reduced to the lowest point.

In all large manufacturing towns a plan like this well managed would be inestimable, and they are wise who take advantage of it.

ANOTHER TAX ON GENIUS.

We publish on another page a letter from an inventor who takes exceptions to the bill before Congress requiring the Commissioner of Patents to exact a fee of ten dollars in all rejected cases, before an appeal can be made to the Appeal Board.

We do not fully concur with the writer in the implication that the Examiners are lazy or incompetent; but every one who does business at the Patent Office knows that a great many erroneous decisions are made by the Examiners, and it was to remedy this evil that the Appeal Board was created, and much good has resulted from it. The number of decisions which this Board reverses is most convincing evidence that it is vitally important to inventors that it be continued; but we cannot see why the inventor should be taxed an extra fee for its support, when it was created for the primal object of correcting the Office's own errors, by reviewing the decisions of those Examiners to whose opinions an inventor might take exceptions.

The Appeal Board is constituted of intelligent scientific gentlemen, and has the power of vastly benefiting the inventor; but the receipts of the Patent Office are more than adequate to meet its expenditures, and we think it not only inexpedient, but unjust to inventors to impose a further tax upon them.

We concur with our correspondent in hoping that the bill will not become a law.

SODIUM AMALGAM.

Sodium amalgam has been pretty well known for about sixty years. Several distinguished chemists, among whom was Sir Humphrey Davy, at the beginning of this century, busied themselves with studying it, and it was reasonably supposed that nothing of importance would be added to what they taught us of its properties. Yet the fact is that quite recently we have learned something about sodium amalgam that is practically worth more than all that we previously knew. It will now be taken out of the old curiosity shop and put in the market place; instead of being only a source of amusement and instruction to beginners in chemistry, it will minister to one of the strongest desires of men.

Sodium and mercury being both metals, have a wonderful affinity for each other. When they are brought together, there is a grand clash of atoms, so Prof. Tyndall would express it, and there is smoke and loud sounds, and flame, and intense heat; the experiment is a dangerous one, unless made on a very small scale. When the sodium amalgam is brought into contact with almost any metallic salt, the sodium seizes the oxygen, chlorine, or sulphur, and the mercury lays hold of the metal; in this way amalgams of iron, platinum and other metals which ordinarily do not combine with mercury, may be made. If sodium amalgam be put into a solution of sal-ammoniac, the amalgam, without losing its metallic appearance, increases prodigiously in size, and reminds one now-a-days of Pharaoh's serpents; this curious experiment suggested the famous ammonium theory, which is discussed in every text book on chemistry. A very little sodium makes a solid amalgam; 1 part sodium to 50 parts mercury, gives a consistency of butter; 1 sodium to 30 mercury gives a solid, not so tough, but otherwise much resembling zinc. But these facts are not new, and we proceed to those which are the object of this article.

Dr. Henry Wurtz, now of this city, but formerly of the Patent Office, is the discoverer of the new uses of sodium amalgam. From patent examiner, he has become an inventor; we congratulate him on his auspicious beginning. Dr. Wurtz has found that when a very little sodium is added to ordinary mercury, the affinity of the mercury for metals generally

so increased, that for use in the arts this mixture acts almost like a new substance. Gold and silver miners have long complained that their mercury was too feeble in solvent power, was liable to "flour" and to get "sick," etc.; that the gold is often in a condition, as in Colorado, where it slips through the fingers of any device set to catch it. Dr. Wurtz's invention is said to be a complete remedy for all these ills. Whenever sodium amalgam touches gold it sticks to it and does not let it go; it sticketh like a brother; to gold and silver it is as adhesive as tar to a contraband. Sodium amalgam is sometimes called magnetic amalgam.

Dr. Wurtz has found other uses of sodium amalgam; we have space only to allude to them. He proposes to solidify mercury by means of sodium, and transport it in solid blocks, and when the mercury is to be used, the sodium is removed by a simple process. If a broom be made of iron wire, and charged with the amalgam, it is very useful for sweeping together mercury which has been spilled. Every little particle sticks to the broom, from which it may be shaken off at pleasure. An iron brush may be used like a paint brush, in amalgamating zinc plates for the battery, etc.

Mr. William Crookes, the able editor of the *Chemical News*, appears independently to have discovered the useful properties of sodium amalgam. But there is little doubt that Dr. Wurtz is the original and first inventor. He antedates Mr. Crookes eight months by his patent, and there is evidence that he has been investigating the subject for several years.

COLLAPSE OF AN ENGLISH BOILER FLUE.

The *London Engineer* of the 13th ult., publishes a handsome engraving of a boiler which collapsed a flue in the brewery of Messrs. Bass & Co., Burton-on-Trent, England.

The boiler was one of a class comparatively unknown in this country, the Cornish boiler, but very popular in England. A Cornish boiler is one tube inside of another, a single flue boiler we should call it, with the grate bars in one end of the tube.

The boiler which gave out was 32 feet long and 7 feet in diameter inside, while the tube was 4 feet in diameter and but $\frac{7}{16}$ lbs of an inch thick; in addition it was out of round by 2 inches.

The safety valves were loaded to a pressure of 50 pounds per square inch, and the sides of the flue were shut together by the pressure, so that it looked like the figure 8.

"The whole boiler was torn off its seating, and launched about 7 or 8 feet. This effect was doubtless due to the reactive force of the steam, which probably issued a contrary direction to that in which the boiler was driven. One end of the engine house was made a complete wreck—some of the bricks being sent eighty yards. The flue tube was found collapsed from one end to the other, ending at the angle iron at the back end of the shell, and at some of the other transverse seams of rivets. We have stated that it was fed by an injector, and a sort of attempt was made at the inquest to show that, as it was shut off, this accounted for a lack of water and consequent collapse. It is also true that the same witness stated that the top of the flue, for a space of four feet, bore evident marks of having been overheated. Mr. R. B. Longridge, chief engineer to the Boiler Insurance Company, Manchester, however, plainly contradicted this evidence, attributing the collapse "entirely to over pressure," as the flue could not safely bear a working pressure of more than 40 lbs. Mr. L. E. Fletcher, the chief engineer of the Manchester Association for the Prevention of Boiler Explosions, was not examined at the inquest, but, as the result of a personal investigation, he writes, in his report for last July:—"There could be no doubt that the explosion resulted entirely from the weakness of the flue, which was insufficient for any pressure above 30 lbs., but could have been made perfectly safe at 60 lbs. or even at a much higher pressure, by the introduction of flanged seams, or incircling hoops of T iron, or bridge rail section, applied at the ring seams of rivets. There are also other means for strengthening furnace flues, such as water pockets, or water tubes, etc., but since these strengthening pockets or water tubes cannot extend into the furnace, it is well to supplement them at

that part with flanged seams or T iron hoops. After boilers are completed and set to work, the furnace tubes can readily be strengthened with angle iron hoops made in segments so as to be passed into the boiler through the manhole, and fixed to the tube when in place."

Mr. Bass, M. P., has made himself conspicuous by legislative measures against the noisy nuisance of barrel organs. Would it be inappropriate to ask him to direct his faculties to the prevention of the more serious noises made by boiler explosions?

AN UNPALATABLE TRUTH.

After a large number of broadside ironclad ships of war have been built in England on the old fashioned plan, necessitating the expenditure of millions of pounds, practical men there discover that they are useless, and that in the event of any contest with a nation possessing invulnerable ships—monitors for instance, they stand no chance of success.

"Coming events cast their shadows before," and we find such men as John Bourne, one of the first engineers in England, beside others, advocating the monitor system as the one good thing that has been tried and not found wanting.

"A naval architect" writes to the *Mechanics' Magazine*, "I am glad to find that you are drawing attention to the penetrable character of our ironclad navy, and to its utter futility in the case of a maritime war when opposed to monitors of the American construction, such as the *Puritan*, *Dictator*, *Monadnock*, etc.," and the letter concludes by averring that the monitors are the only safe vessels at sea and that they have repeatedly sunk ships equal to the English ironclads.

These statements are all true, and it must be an unpleasant reflection for those in authority to know that they have been walking blindly and that the expensive experiments they have made in the way of vessels are thrown away.

We have no wish that the English Government should adopt our plan of constructing war vessels, but that those who shape public opinion on these points are preparing the way for them is an unmistakable conclusion.

Novel Application of Turpentine as a Fuel.

On the 18th of February, Capt. Shpacovski, professor at the Paul Military School, exhibited at the Old Admiralty, St. Petersburg, certain applications of combustible fluids, reduced to dust or spray by means of an apparatus which he calls a pulverizer. This process enables the inventor to burn every particle of the fluid; he effects this in a lamp of a peculiar construction. The flame produced by turpentine spray in the apparatus is enormous, and reaches a height of two feet, rushing through the burner with a noise similar to that of steam escaping from a pipe. The color of the flame is a whitish yellow; the temperature is equal to that of molten steel (1,040 deg. Reaumur, equal to 1,300 deg. Centigrade.) The quantity of turpentine burnt in the lamp in one hour with the pulverizer is from two to five pounds Russian, which, at three copecks per pound, costs from six to fifteen copecks. Mr. Shpacovski began his experiments by melting a bundle of fine steel wires. This was soon brought to a red heat, and in a few seconds began to melt and then to burn, throwing out sparks. The inventor then applied the flame in a horizontal jet to a piece of copper weighing five zolotniks, which was equally melted (copper melts at about 873 deg. Reaumur, or 1,090 deg. Centigrade). He also exhibited a crucible to melt from five to ten pounds of the same metal. Among other experiments some were made to illustrate the application of the process to the charring of timber used in the construction of ships. The wood was not destroyed, being only carbonized to the depth of $\frac{1}{10}$ th of an inch. After exhibiting a lamp with four pulverizers, giving a flame of 3½ feet in height, and 4 inches diameter, Mr. Shpacovski described his steamboat, the boilers of which are heated by pulverized turpentine. This boat, about 24 feet long by 3 feet beam, with an engine of 2-horse power, runs six knots per hour; her boilers are heated by four pulverizers, fed by pipes from a reservoir placed in the bows. The consumption was 3 lbs. per horse power per hour; but

Mr. Shpacovski is now building a boat of 6-horse power, with an improved boiler, and expects to reduce the consumption of turpentine to 1½ lb. or 2 lbs. per horse power per hour. He has orders for twenty similar steamboats for St. Petersburg and neighborhood; most of them are intended for the passenger traffic on the canals. It is needless to state that the new fuel is more expensive, weight for weight, than coal; but it is claimed that this will be more than compensated by the saving which will be effected on the quantity consumed by means of the new process. Suppose, for instance, a frigate anchored in the roads off Cronstadt; a boat is sent ashore for provisions. The ordinary coal boilers must be fired two hours before hand, and when the boat is alongside the wharf the fires must be kept up till she returns; so that for a trip of half an hour going and coming, fuel must be burned during four hours. If the boat be fitted with the pulverizer it need only be ignited ten minutes before starting, and altogether fuel will be required for fifty minutes, the expense for a steamboat of 12-horse power being about sixty copecks. Mr. Shpacovski also exhibited a new signal apparatus, giving a very strong light.—*London Engineer*.

Copper Photographs.

A. M. Mialerit-Becknell, who writes from St. John the Baptist, in Louisiana, communicates to *Cosmos*, a very simple process for producing photographs on copper plate. The author takes a smooth and perfectly clean copper plate and dips it for 30 seconds into a bath composed of sulphate of copper 125 grains, common salt 75 grains, water 2 ounces, acidulated with a few drops of acid, any acid whatever. As soon as withdrawn the plate is well washed, and then dried with a soft clean cloth. The plate is then ready for exposure in a frame under a glass negative. In good sunlight five or ten minutes' exposure is sufficient, but in cloudy weather a longer time is required. To fix the picture it is only necessary to dip the plate into a solution of hypo containing a little chloride of silver. A bath which has been used for paper proofs will do, but it must be filtered clear. After a few seconds' immersion the parts of the picture that were reddish whiten, and at the same time the shadows take a violet tint, passing away to black. As soon as this occurs the plate must be taken out, well washed, and dried over a spirit lamp. As the blacks are formed of a very fine powder the plate must be varnished to preserve the picture. The author supposes that a layer of protochloride of copper formed in the bath constitutes the sensitive surface, and he thinks that in the hypo and chloride of silver bath the unacted-on protochloride is dissolved, and silver is deposited on the bare copper.—*Chemical News*.

Pumping Ships by Force of Wind.

In 1862, in reviewing the nautical models at the International Exhibition, we noticed a plan for giving motion to cranks of pumps by the medium of a screw, dragging in the water, turning a long rod, and by bevil gearing working pumps in-board. We stated at the time, that the wind that drove the ship to gain this motion would also turn the sails of an improvised windmill, which would answer the purpose sought to be attained in a more simple manner.

The master of the *Providence* caught at our suggestion, rigged two wings, and fixed them to a deck pump. It succeeded admirably. Captain Kerr, of the *White Star*, it is stated in the *Shipping and Mercantile Gazette* of Monday last, kept his pumps going from shortly after leaving Melbourne to his arrival in the Channel, and by this contrivance the leak of upwards of one foot per hour was kept under. A leak of this description would have worn out his crew, whereas the sails of the windmill would actually help to propel the ship.—*Mitchell's Journal*.

[Just so, and a man can lift himself up by his pantloons if he is only able.—Eds.]

A GENERAL convention of all the railroad presidents, chief engineers and general superintendents in the United States is to be held in Philadelphia on the 4th of July next, for an interchange of views in regard to railroad construction, management, and operation. The chief officers of the British Provinces have been invited to attend and participate in the deliberations.