

arranged at equal distances between the two first, and each end of each is attached by a nipple to a transverse pipe three feet and four inches long, the ends of which are inserted into the corner cubes, and an iron rod three eighths of an inch in diameter, passes through each short pipe and through the corner cubes, and terminates in a screw nut at each end. Another like arrangement of seven pipes is placed four feet above the first, and secured in that position by one hundred vertical copper tubes, two inches in diameter, made of No. 24 copper plate; and each end of each copper tube has a brass head brazed in, with a projecting nipple one inch in diameter, extending an inch and a half from the end of the tube. These nipples are hollow nearly to the ends, and have a half-inch aperture on one side of each, in the center of an indentation curved to fit the sides of the long horizontal pipes above and below; one side of each pipe being perforated to match the corresponding holes in the sides of the nipples; and the nipples being attached to the side of each pipe by short brass straps, the two ends of each of which are fastened to the pipes by screws, while the center, being curved, passes over the nipple, holding it fast to the pipe. Twenty vertical tubes in each of five rows, are thus attached to the ten horizontal pipes above and below, and thus all the pipes and tubes have free communication with each other, and are so connected that one or more of the tubes may be readily detached without disturbing the others; or all the tubes and pipes may be taken apart for cleansing, and reconnected as occasion may require.

A grate nine inches wide, is placed between each two rows of pipes, at the bottom; and the lower portion of the tubes, to the height of two feet, is incased in a double casing of sheet iron, lined with thin plates of soap-stone, or fire brick. Between each two rows of tubes, is a hollow lid two inches thick, with a handle, to be removed for feeding the fire with charcoal. The edges of these lids rest upon strips of iron plate, fitted to each side of each row of tubes, and plastered over with clay. The entire weight of this boiler is 550 lbs. The water required to fill it half full is 30 gallons. The amount of fire surface is 100 square feet; its working capacity, twelve-horse power. The smoke-pipe—four inch tin—extends horizontally 200 feet, rearward. The two light brass engines, are plain and common, possessing no special novelty.

The buoyant power of the float, as estimated, is 15,051 lbs. The weight of the saloon 1,000 lbs; weight of boiler 550 lbs.; weight of engines, propellers, and other machinery, 200 lbs.; weight of replenishers, 200 lbs.; weight of smoke-pipe, rudder and wires, 201 lbs.; weight of water, fuel, and furniture, 900 lbs; thus leaving a net balance of 12,000 lbs., sufficient to carry 140 passengers with light baggage.

When the float is inflated, the saloon must be partly freighted with boxes of sand provided for that purpose; and when passengers or freight are received, an equal weight of ballast will be discharged, and vice versa. When not in use, the aeroport will be safely moored at a convenient height, to some permanent object. A large screw, on the principle of a cork-screw, to be screwed into the ground by means of a hand-spike, will be employed for holding the aeroport when moored. Moreover, for better security, a small line connected to the large safety valve of the float, will be brought to the ground with a small weight attached: so that should the aeroport escape by any means from its moorings, the weight will hold the valve open until it descends to the earth.

Whenever there is occasion to come to land, the rudder is depressed so as to turn the head of the float downward until the saloon comes near enough to the earth to send down the elevator. If there is wind, the aeroport will be brought to head to the wind, and the motion of the engine slackened until the aeroport becomes horizontally stationary, and descends vertically. When the float is inclined in either direction the tendency of the gas will be towards the highest part, and this tendency must be sometimes counteracted by means of the compressing ropes.

It will not be expedient, generally, to run higher than from 500 to 1000 feet; but in case of an approaching squall, or thunder gust, the aeroport may readily ascend high enough to pass over them. Prof. Wise has on several occasions, enjoyed a beautiful sunshine, and serene atmosphere, while a violent thunder-storm was raging below him. In case of running above the clouds, or in foggy weather, the altitude may be generally ascertained by the barometer; but it will be sometimes requisite, especially for the purpose of ascertaining the course, or direction of the wind, to drop an arrow-shaped rod of light wood, which will descend perpendicularly while the wheels are stopped; and as soon as it strikes the earth or water, the change of the direction of the twine attached to the rod, will show both the direction and velocity of the wind. But when the earth or water is in sight, a simple plano-convex lens, with a piece of semi-transparent paper placed in its focus will promptly show both the direction and velocity of the aerial vehicle.

With regard to guiding the aeroport, when a side wind prevails, the pilot has only to head the float to windward, according to the relative velocity of the aeroport and the wind. For instance, if the aeroport is running due west, with a speed of eighty miles an hour, while a gale from the north is traveling at the rate of forty miles, the float must be headed four points, or twenty-two degrees, to windward, in order to hold its westerly course. The pilot will know what direction he is moving, by the direction which the trees and other objects on the earth, apparently move.

A compass with a large dial, may be mounted at the height of two feet from the floor of the saloon; and near it, an aperture, two inches in diameter, may be made through the floor, and a convex lens, of four feet focus, set therein. Then by adjusting a mirror one foot above the compass dial, the

most conspicuous objects on the earth will be reflected upon the dial, and their movements thereon will plainly indicate both the direction and velocity of the aeroport; and the size of the objects upon the dial, will in measure indicate the altitude. For this purpose, the compass dial should be partly shaded from the direct light of the windows; and if the central part of the dial be crossed with lines one fourth of an inch apart, crossing each other at right angles, these indications will be the more readily comprehended.

Whirls or circular currents in the air will be readily indicated by the variation of the course of the aeroport, which will be counteracted by a change of helm; and if not, the aeroport will quickly shoot out of the whirl. And in case of encountering vertical currents in either direction, it is well known that they never occur suddenly, but so gradually as not to change materially the horizontal position of the float; and a ready counteraction may be effected by the rudder, without either expanding or compressing the float.

It has been supposed by some that common linen cloth, either French or Holland, would not be strong enough to sustain so much weight. To refute this conjecture, it may be proper to explain, briefly, the nature and principles of the buoyant power, which is to sustain the aeroport and its freight. Aerial buoyancy, does not, as generally supposed, consist in the tendency of the hydrogen gas to ascend, and press against the upper interior of the float; but in a greater pressure of the atmosphere against the bottom of the float, than upon the top thereof. The weight of a column of air, one square foot and forty feet high (the diameter of the float) is three pounds; therefore, the atmospheric pressure against the bottom of the float is greater by three pounds per square foot, than that upon the top, and this would be the true force with which the balloon would ascend were it not for the weight of the hydrogen gas, which, being three ounces per forty cubic feet, reduces the buoyant force to about two and three-fourths pounds per foot of the central portion of the float, and this is the greatest force or pressure that is to be sustained by the cloth. Yet it is readily shown by experiment that the ordinary linen, will sustain more than twelve times that amount of pressure, when supported by the longitudinal rods of the float. Moreover, the float may be kept so full of the gas, by adding a little additional weight to the bellows of the replenisher, as to counteract, in measure, the atmospheric pressure upon the lower part.

It has been supposed by some, that if a rent should occur in the float, the whole apparatus would rapidly descend. But the float having several compartments, if a rent should occur in either one, the descent of the aeroport would be so moderate, that the pilot would have ample time to select his ground to land upon. And should such descent occur over water, the saloon is to be provided with an ample supply of inflated sacks attached to the floor under the seats, which constitutes it an excellent life-boat. A rent is readily and easily repaired, and a small balloon will be kept in readiness, and may readily be inflated, whereby a man or boy may ascend and repair the rent. But as only the bottom of the float is liable to get damaged, the gas would not readily escape. All parts of the saloon will be rendered incombustible by saturation with borate of soda, applied to the materials prior to its construction.

Mr. Porter thinks there would be no difficulty in constructing an aeroport or flying ship, capable of carrying 500 passengers safely to any part of Europe, in three days or less. Even if strong and heavy canvas should be employed in the construction of the float, there would be ample buoyant power to support it with an engine of 100-horse power, and fuel and provisions for ten days. That disasters may occur, he does not deny, but maintains that this mode of traveling will be incomparably more safe than by either marine vessels or railroads.

ORANGE MARMALADE.—Cut the oranges in half, then take out the pulp and juice, separating all the skins and pips. Put the rinds into salt and water for a night; the next morning put them into a stewpan with fresh water. Let them stew until soft, so that a straw can be run through them easily; cut the peels into thin strips. To every pound of fruit add one pound and a half of coarse white sugar. Put the juice, pulp, and peel, with the sugar, into the stewpan, and let it boil twenty minutes. Seville oranges must be used, and the marmalade is better if kept six months. The juice and grated rind of two lemons to every dozen oranges is a great improvement.—*Jessie Piesse.*

NEW PUBLICATIONS.

STRUGGLES AND TRIUMPHS; OR, Forty Years' Recollections of P. T. Barnum. Written by Himself. 8vo., pp. 780. J. E. Burr & Co., Hartford, Conn.

Many years ago, Barnum, then in the heyday of his glory as a showman and manager of the American Museum, wrote and printed a book of life sketches, which had a large sale. Nevertheless its publication brought down upon him much undeserved criticism and abuse. The people knew that he styled himself the "Prince of Humbugs," and, moreover, they enjoyed the fun of his book, wherein he told them exactly how, and in what way he had prepared his curious feast of funny things to gratify their appetites; but somehow the newspaper critics made some people believe that it was a naughty thing in any man to humbug and then tell all about how it was done. Well! times have since changed. Barnum has passed through an eventful career, of much tribulation, and more success, and now at the age of sixty years he comes out on the successful side with a new book, very unlike the old one, wherein he tells the story of his career from boyhood, introducing for that purpose many spirited illustrations, unique and laughable anecdotes, and a great variety of personal experiences as a youthful trader, Editor, preacher, traveler, showman, farmer, politician, lecturer, financier—indeed it would be difficult to say what Barnum had not been up to during these 40 years of struggles and triumphs. His hospitality is princely; his fund of humor inexhaustible, and, taken altogether, Barnum is one of the rarest specimens of human nature to be met with. His book will afford instruction and amusement to the thousands who read it.

U. S. Patent Office.

How to Obtain Letters Patent FOR NEW INVENTIONS.

Information about Caveats, Extensions, Interferences, Designs, Trade Marks; also, Foreign Patents.

For a period of nearly twenty-five years, MUNN & CO. have occupied the position of leading Solicitors of American and European Patents, and during this extended experience of nearly a quarter of a century, they have examined not less than fifty thousand alleged new inventions, and have prosecuted upward of thirty thousand applications for patents, and, in addition to this, they have made, at the Patent Office, over twenty thousand preliminary examinations into the novelty of inventions, with a careful report on the same.

The important advantages of MUNN & CO.'S Agency are, that their practice has been ten-fold greater than that of any other Agency in existence, with the additional advantage of having the assistance of the best professional skill in every department, and a Branch Office at Washington, which watches and supervises, when necessary, cases as they pass through official examination.

CONSULTATIONS AND OPINIONS FREE.
Those who have made inventions and desire consultation are cordially invited to advise with MUNN & CO. who will be happy to see them in person at the office, or to advise them by letter. In all cases, they may expect a HONEST OPINION. For such consultations, opinion, and advice, no charge is made. A pen-and-ink sketch and a description of the invention should be sent.

TO APPLY FOR A PATENT,
A model must be furnished, not over a foot in any dimension. Send model to MUNN & CO., 37 Park Row, New York, by express, charges paid, also, a description of the improvement, and remit \$16 to cover first Government fee, and revenue and postage stamps.

The model should be neatly made, of any suitable materials, strongly fastened, without glue, and neatly painted. The name of the inventor should be engraved or painted upon it. When the invention consists of an improvement upon some other machine, a full working model of the whole machine will not be necessary. But the model must be sufficiently perfect to show with clearness the nature and operation of the improvement.

PRELIMINARY EXAMINATION
Is made into the novelty of an invention by personal search at the Patent Office, which embraces all patented inventions. For this special search and report in writing, a fee of \$5 is charged. This search is made by a corps of examiners of long experience.

MUNN & CO. wish it distinctly understood, that inventors who employ them are not required to incur the cost of a preliminary examination. This examination is only advised in more doubtful cases.

COST OF APPLICATIONS.
When the model is received, and first Government fee paid, the drawings and specification are carefully prepared and forwarded to the applicant for his signature and oath, at which time the agency fee is called for. This fee is generally not over \$25. The cases are exceptionally complex if a higher fee than \$25 is called for, and upon the return of the papers, they are filed at the Patent Office to await Official examination. If the case should be rejected for any cause, or objections made to a claim, the reasons are inquired into and communicated to the applicant, with sketches and explanations of the references; and should it appear that the reasons given are insufficient, the claims are prosecuted immediately, and the rejection set aside, and usually **Without Extra Charge to the Applicant.**

MUNN & CO. are determined to place within the reach of those who confide to them their business, the best facilities and the highest professional skill and experience.

The only case of this character, in which MUNN & CO. expect an extra fee, is where appeals are taken from the decision of the Examiner after a second rejection; and MUNN & CO. wish to state very distinctly, that they have but few cases which can not be settled without the necessity of an appeal; and before an appeal is taken, in any case, the applicant is fully advised of all facts and charges, and no proceedings are had without his sanction; so that all inventors who employ MUNN & CO. know in advance what their applications and patents are to cost.

MUNN & CO. make no charge for prosecuting the rejected claims of their own clients before the Examiners and when their patents are granted, the invention is noticed editorially in the SCIENTIFIC AMERICAN.

REJECTED CASES.
MUNN & CO. give very special attention to the examination and prosecution of rejected cases filed by inventors and other attorneys. In such cases a fee of \$5 is required for special examination and report, and in case of probable success by further prosecution, and the papers are found tolerably well prepared, MUNN & CO. will take up the case and endeavor to get it through for a reasonable fee, to be agreed upon in advance of prosecution.

CAVEATS
Are desirable if an inventor is not fully prepared to apply for a Patent. A Caveat affords protection, for one year, against the issue of a patent to another for the same invention. Caveat papers should be carefully prepared. The Government fee on filing a Caveat is \$10, and MUNN & Co.'s charges for preparing the necessary papers are usually from \$10 to \$12.

REISSUES.
A patent when discovered to be defective, may be reissued by the surrender of the original patent, and the filing of amended papers. This proceeding should be taken with great care.

DESIGNS, TRADE MARKS, AND COMPOSITIONS
Can be patented for a term of years, also, new medicines or medical compounds, and useful mixtures of all kinds. When the invention consists of a medicine or compound, or a new article of manufacture, or a new composition, samples of the article must be furnished, neatly put up. Also, send a full statement of the ingredients, proportions, mode of preparation, uses, and merits.

PATENTS CAN BE EXTENDED.
All patents issued prior to 1861, and now in force, may be extended for a period of seven years upon the presentation of proper testimony. The extended term of a patent is frequently of much greater value than the first term; but an application for an extension, to be successful, must be carefully prepared. MUNN & Co. have had a large experience in obtaining extensions, and are prepared to give reliable advice.

INTERFERENCES
Between pending applications before the Commissioners are managed and testimony taken; also, Assignments, Agreements, and Licenses prepared. In fact, there is no branch of the Patent Business which MUNN & Co. are not fully prepared to undertake and manage with fidelity and dispatch.

FOREIGN PATENTS.
American inventors should bear in mind that five Patents—American, English, French, Belgian, and Prussian—will secure an inventor exclusive monopoly to his discovery among ONE HUNDRED AND THIRTY MILLIONS of the most intelligent people in the world. The facilities of business and steam communication are such, that patents can be obtained abroad by our citizens almost as easily as at home. MUNN & Co. have prepared and taken a larger number of European Patents than any other American Agency. They have Agents of great experience in London, Paris, Berlin, and other Capitals.

A Pamphlet, containing a synopsis of the Foreign Patent Laws, sent free. Address MUNN & CO., 37 Park Row, New York.