# Scientific American.

#### India Rubber

Since the art of vulcanizing india rubberan American discovery-was first made, its use has become almost universal. It is used for almost everything in the shape of an airtight and elastic material. The vulcanizing of india rubber is due to sulphur combining with the india rubber, and then submitting the material to a great heat, high pressure steam, or an oven heat. The elasticity of the india rubber is maintained, while it is rendered water-proof, and remains unaffected by heat while in its unprepared, unvulcanized state, it is easily affected by the weather.

Mr. Hodges, an Englishman, proposes to employ this enormous elastic power to the raising of heavy masses. Short pieces of caoutchouc, called by the inventor "power purchases," are successively stretched and attached to the burden to be raised; when a sufficient number of these power-purchases are fixed to the weight, their combined elastic force lifts it from the ground. Ten of these apparatus raise, together, 1000 lbs. This power, though obedient to the common law of mechanical forces, yet differs sufficiently from known forces to be distinguished as a new power. The same principle is applicable to the towing of vessels; it can equally be made use of for raising the anchor, &c.

By an inverse principle, the power-purchases may be employed as a power for projection. Thus a certain number of these agents might be attached to a cannon tube constructed for throwing harpoons. This new process has been tried with success. An eightypounder thus charged has thrown a ball 150 yards.

#### To be Invented.

In the coal region of Schuylkill County, Pa. the waters are so impregnated with sulphur and iron, that it is no uncommonthing to burn out two sets of boilers at a colliery in one year: the iron is completely eaten up by the water. The only way of giving partial defence to the boiler is to put on the inside a monthly coat of tallow or of Silver's mineral paint, made into almost a paste with oil. Some simpler and less troublesofne way of precipitating the sulphur, commends itself to the notice of inventors, as something that will pay.

QUERE.-How would it answer to put a coat of enamel inside of boilers? Or is it not possible to substitute something for iron?

Shutters, as at present in use, afford very little protection and still less beauty. Can we not improve both qualities by using sheets of hooked or woven wire, to roll up like a window shade? At least they would be knife-

# The Safe of William Penn.

The editor of the Cincinnati Nonpareil has had the gratification of beholding a dilapidated specimen, in the shape of an iron safe, that eclipses all the antiquities that ever before came under his supervision. It passed through that city the other day on its way to St. Louis, at which place the antiquity is to receives prominent location in the Museum This identical safe is the veritable one that Wm. Penn brought from England, and it was on the ground where he treated with the Delaware tribe of Indians on the Delaware river. The safe is singularly and ingeniously constructed, and contains several compartments which, he says, would puzzle the ingenuity of any person living in this age to ascertain their whereabouts. The name of Wm. Penn is prominently engraved upon one of the inward plates, the letters carved in an awkward form.

### The Effect of the Rotation of the Earth upon the Flight of a Projectile.


Capt. Boxer, of Woolwich, Eng., has recently been investigating with regard to the rotation of the earth, viz :-

The amount of its effect upon a projectile in causing it, during its flight, to deflect from the ed by a boiler of this kind longer than three object to which it is directed, or more correct- times its diameter. ly speaking, the object to alter its position with regard to the path of the shot. He finds by calculation based upon data taken from actual practice, that in latitude 52 deg. a ball projected due south 5,600 yards, whose time of ger of explosion he believes, is more to be flight was 34 seconds, would fall 10.914 yards dreaded from bad materials, bad workmanship, Chesebro is an authoress of merit well known to the magazine world for her piquant stories. Published to the north; the shot will fall nearly the same and small boilers which a man cannot get and for sale as above.

right of the direction.


Capt B., by a process of reasoning, shows duced if the ball were projected due east or west, tube which is liable to collapse if made of and finally arrives at the conclusion that the thinner iron than the shell. It is held by deviation of the shot will be the same in amount | Tredgold that the mathematical stress applies in the same latitude, or nearly so, whatever may be the direction of the range, and that to the internal pressure against the shell; the deviation will in all cases be to the right therefore 1/2 inch thick is sufficient for a six of the object. He does not consider it of any foot shell and 1/4 inch is enough for a three foot practical importance in the present state of gunnery, yet, he further remarks, perhaps at some future time such perfection may be obtained in the machine from which the shot is propelled, as well as in the projectile itself, as to make it worth while taking into account the rotation of the earth.

### On Boilers .-- No.6 . Fig. 12.



FAIRBAIRN'S DOUBLE-FLUED BOILER.—This boiler was patented a number of years ago by Mr. Fairbairn, of Manchester, Eng., the well known engineer and joint inventor of the Britannia Tubular Bridge. Figure 12 is a horizontal section or plan of the boiler and flues and figure 13 is a transverse section. A boiler of this kind was put up by Mr. Armstrong, the well known author of the work on boilers, to drive a 60 horse-power Bolton and Watt engine.

The cylindrical part of the shell, as well as the flat ends of the boiler, are made of 3-8 inchiron; it is 9 feet in diameter by 20 feet shall have a winter to speak about for this lalong, and contains two flue tubes, each 3 feet | titude. In connection with this, let us say 4 inches diameter, but rather deeper at the front ends, which contain the two furnaces. which are of low or moor iron, and only 3-8 thick. There is sufficient space between the flues, which are 13 inches apart, for a man to get through. The flat ends are braced together as usual, and also have four additional oblique stays at each end, radiating to different points of the upper half of the boiler; these, together with the two flues, f f, in the lower half, pretty well equalize the internal strain on the different parts of the boiler. It was Fig. 13.



intended to work at about 15 or 16 lbs. per square inch, therefore it was proved at 30 lbs., that being about 1-3rd of its maximum strength, which it stood without any deflexion, and which is only about 1-10th of the ultimate or bursting strength of the boiler.

This boiler contained 54 yards of effectual heating surface, and it was found to work most economically at 50 nominal horse-power, that is, evaporating 50 cubic feet of water per hour; the evaporation at that rate was 8 lbs. of water to 1 of coal. The boiler was made to work under 20 lbs, pressure. It was a very short boiler in comparison to its diameter, namely 9 feet to 20 feet, and this is rather opposed to the Cornish system of boilers. his boiler was compared with one of the same diameter and same size of flues, but 28 feet long, that is its working economy. The Bible, with descriptive sketches of each :- Jepthah's result was that it was found to be as economical, and Armstrong states that the facts proved conclusively the truth of a rule he adopted, namely, that nothing is to be obtain-

He also asserts that the current notions about the danger of explosion, by having boilers of large diameter, and ot loss of fuel for want of length, are mere prejudices: the dan-

distance east of the object, but still to the properly into to clean and keep in repair, than all other causes put together. The weakest part of a boiler constructed on this principle that the same amount of effect would be pro- of Fairbairn, is the internal furnace or flue to the external pressure on the flue tube, as flue to sustain the same pressure so long as the latter retains its true circular figure. It is not possible to do this in a wrought-iron boiler, therefore, boiler makers make the flue tube 3-8 of an inch thick. Armstrong believes that the flue should be made of as thick if not thicker iron than the shell. He believes that of high pressure boilers, for steam navigation, Oliver Evans's plan or small water tube boilers is the best. The most judicious way of strengthening the large internal furnace flues of boilers is by rivetting on them a series of ribs of angle or T iron at short distances apart, similar to those used for the tops of locomotive fire boxes.

#### Cold Weather.

The weather, during the past two weeks, has been unusually severe in this city, more so than it has been at the same period for ten years. The sleighing for some days was good and the air bracing, cold, clear, and crisp.

We see, by the accounts from various places, that severe cold has been very general throughout our country. In Europe they have also had an early winter. Many people among us state that they believe we are going to have a long and severe winter. The reasons they give are, "we have not had a severe winter for a long time, and we may expect one now." All we have to say is, if the weather continues for the next two months as severe as it has for the past two weeks, we that, for fitteen years past, the winters in New York have been exceedingly mild, in comparison with what they used to be; and old people say "we know nothing about cold now." It used to be no uncommon thing to cross on the ice from this city to Governor's Island, and in the winter of 1820 heavy teams crossed for some weeks on the ice from Jersey City to New York. If, as some geologists affirm, the dry land is drifting somewhat up to the North Pole, how comes it that the winters are milder now, both in this part of our continent and in various parts of Europe, than what they were in days long gone by.

# Death of the Water Cure Founder.

Priessnitz, the celebrated founder of hydropathy, died at Graefenberg on the 26th of Nov., at the age of 52. In the morning of that day Priessnitz was up and stirring at an early hour, but complained of the cold, and had wood brought in to make a large fire. His friends had for some time believed him to be suffering from dropsey of the chest, and at their earnest entreaty he consented to take a little medicine, exclaiming all the while, "it is of no use." He would see no physician, but remained to the last true to his profession. About 4 o'clock in the afternoon of the 26th he asked to be carried to bed, and upon being laid down he expired.

The Prometheus arrived at this port on Monday last, with \$568,000 in gold. The gold mines yield more than ever.

# LITERARY NOTICES.

THE ILLUSTRATED LADIES KEEPSAKE .- Edited by A. Abbott, published by John S. Taylor, 122 Nassau It embraces twelve fine steel gravings of the following celebrated women of the Daughter, Esther, Ruth, Miriam, Bathsheba, Sarah, Rahab, Judith, Herodias, Martha, the Woman of Samaria, Mary Magdalene. It is an octavo of 380 pages, elegantly bound in gilt, and contains much pages, segamny bothm in girls, and contains much original matter, prose and poetry, of a character eminently calculated to imspire noble and elevated thought. We commend this work to the patronage of ladies especially, and to the gentleman who gives, with discriminating taste, nothing more appropriate or acceptable to refined sense could be selected. Sent by mail, free of postage, bound in cloth \$2, imitation Turker \$3: moreocce, full cilt \$4. tation Turkey \$3; morocco, full gilt, \$4.

DREAM LAND BY DAYLIGHT.—Messrs. Redfield Clinton Hall, have just issued a pretty holiday token of 425 pages from the penlof Caroline Chesebro. Miss Chesebro is an authoress of merit well known to the

# SCIENTIFIC AMERICAN.

Commencing a new year, we take the opportunity to express our grateful acknowledgments to the patrons of the Scientific American for the deep interest manifested in its success. We aim to furnish a journal not only popular, but eminently practical in the several departments of Chemistry, Mechanics, Engineering, and Manufacturing. Without employing the ordinary appliances, such as local and general canvassers, we have mainly depended upon voluntary subscriptions, allowing the character of the journal to find its way to the regard of individuals. Our general expectations have not been disappointed, for out of the large list of cash-paying subscribers, whose names are familiar to us from a long association, we recognize many active energetic friends, whose influence we yearly profit by.

We are grateful for allfavors, and as our success is centered in the support of that valuable class whose labors are not only enriching and adorning, but elevating the character of our country, we must still claim their active and co-operative sympathy. For the small sum of two dollars we are furnishing an Encyclopedia of the Artsand Sciences, covering over 400pages, richly illustrating the progress of invention and discoverythroughout the world. Considering that this sum is one-fourth less than the cheapest English publication, it may not be necessary to state that a large subscription list is required to sus-

The fact of its success is no longer predicated upon doubt; but, that we may be enabled to carry out our future designs, an increased subscription list will be necessary. We anticipate, from the continued support of our friends, that we shall be able to advance the Scientific American, in point of circulation, to a position second to none in this country; and we promise a journal not inferior in its character, size, and ability to any other.

The views promulgated through its columns have received the approbation of the American press, and it is a source of gratification to us that it has gained, and still is gaining a strong foot-hold in Europe, and is quoted as the leading American Scientific Journal. A recent London paper says, "it is excelled by few periodicals," and proceeds to regret that the English tax upon literature does not permit so cheap and valuable a work to circulate within the reach of the laboring and producing classes, whereby they may become, not mere machines, but, like most of our American Mechanics, intelligent, influential citizens. No land is so highly favored as our own in respect

to educational privileges—none where all the appliances are so easily and cheaply obtained—a cheap press and a system of free education, are the elements which enter largely into our National characer. A people to be free and happy must of necessity be intelligent. We should not esteem our blessings lightly, but strive to improve them. It is unquestionably true that men, practically scientific, are among the most useful class in a community, and our greatness as much depends upon them as upon any other class. The statesman the lawyer, the minister, and the farmer, have each their appropriate work, but in the great scheme of internal improvement, the mechanic, the man of science, is wanted.

We offer these suggestions as entirely relevant to our present subject, and urge our mechanics to become readers; and, if consistent with their feelings, subscribers to the Scientific American, for we feel assured that in fifty-two numbers they will find information worth to them infinitely more than the amount paid for it. It is difficult to maintain a good Scientific Journal at so small a price, as many can sorely testify from experience; and had we not a clear field at the commencement, and a tolerable capital, the Scientific American would not now enjoy its present position.

Through our extensive facilities as American and Foreign Patent Agents, we are enabled to furnish our columns with a most complete summary of all the new improvements; and having agents located in London and Paris, we are early notified of changes in Foreign Patent Laws affecting inventors' interests. We hope to improve the value of the Scientific American by constant and unremitting care, and to secure a continued and increasing patronage from the

public.
We hope our friends are not forgetting to exercise their usual kind offices, but are continuing to recommend their neighbors to subscribe and to form clubs for the new year.

Postmasters, being authorized agents for the Sci entific American, will very generally attend to forwarding letters covering remittances.

MUNN & CO., Publishers of the Scientific American,

28

128 Fulton street, New York.

# INDUCEMENTS FOR CLUBBING.

Any person who will send us four subscribers for six months, at our regular rates, shall be entitled to one copy for the same length of time; or we will

furnish—
Ten Copies for Six Months for Ten Copies for Twelve Months, Fifteen Copies for Twelve Months, 22

Twenty Copies for Twelve Months, Southern and Western Money taken at par for subscriptions, or Post Office Stamps taken at their full value.